TRANSFER CREAM

Safety Data Sheet

According to Regulation (EC) No. Date of issue: 16/10/2014 453/2010 Revision date: 17/02/2023

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1.

Product form Product Name

1.2.

: Mixture : TRANSFER CREAM

Relevant identified uses of the substance or mixture and uses advised against

1.2.1. **Relevant identified uses**

Use of the substance/mixture

: This product is intended to be used as a topical-only stencil image transfer medium.

Importer -

Uses advised against 1.2.2.

No additional information available.

Details of the supplier of the safety data sheet 1.3.

Company	Rupert, Gibbon & Spider, Inc./Jacquard Products	S&S Wholesale Pty.	Limited
	1147 Healdsburg Ave. CA, 95448	18/10 Pioneer Aven	ue,
	800-442-0455	Thornleigh NSW 21	120
		Tel: 1300 731 529	Fax: 1300 739 715
1.4. Emerge	ency telephone number		

Emergency telephone number

Emergency number CHEMTREC (24HR Emergency Telephone), call: 1-800-424-9300 International CHEMTREC, call: 1-703-527-3887 For non-emergency assistance, call: 800-442-0455

Emergency Contact: S&S Wholesale Pty. Limited Tel: 1300 731 529 Fax: 1300 739 715

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1.

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Not classified

Adverse physicochemical, human health and environmental effects

No additional information available.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. **Other hazards**

Other hazards not contributing to the : Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

	•	
3.2.		Mixture

3.2. WIXLUIE			_
Name	Product identifier	%	Classification according to Directive 67/548/EEC
Water	(CAS No) 7732-18-5 (EC no) 231-791-2	82,1025	Not classified
1,2-Propylene glycol	(CAS No) 57-55-6 (EC no) 200-338-0	15,7861	Not classified
Glycerin	(CAS No) 56-81-5 (EC no) 200-289-5	1,0812	Not classified
Sodium stearate	(CAS No) 822-16-2 (EC no) 212-490-5	0,7929	Not classified
Xanthan gum	(CAS No) 11138-66-2 (EC no) 234-394-2	0,2372	Not classified
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS No) 7732-18-5 (EC no) 231-791-2	82,1025	Not classified

Safety Data Sheet According to Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-Propylene glycol	(CAS No) 57-55-6 (EC no) 200-338-0	15,7861	Not classified
Glycerin	(CAS No) 56-81-5 (EC no) 200-289-5	1,0812	Not classified
Sodium stearate	(CAS No) 822-16-2 (EC no) 212-490-5	0,7929	Not classified
Xanthan gum	(CAS No) 11138-66-2 (EC no) 234-394-2	0,2372	Not classified

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measure	25
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).
First-aid measures after inhalation	 Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact	: Wash with plenty of soap and water. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	 Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
First-aid measures after ingestion	 Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and	l effects, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	 Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: May cause skin intration.
Symptoms/injuries after ingestion	: Ingestion is likely to be harmful or have adverse effects.
Chronic symptoms	: None expected under normal conditions of use.
	edical attention and special treatment needed
If you feel unwell, seek medical advice (sho	•
SECTION 5: Firefighting measu	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising from th	
Fire hazard	: Not flammable.
Explosion hazard Reactivity	Product is not explosive.Hazardous reactions will not occur under normal conditions.
Hazardous decomposition products in	: Carbon oxides (CO, CO ₂). Heat from fire may generate flammable vapor.
case of fire	. Carbon oxides (CO, CO ₂). Heat non me may generate nanimable vapor.
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory
Protection during mengitting	protection.
Other information	Refer to Section 9 for flammability properties.
SECTION 6: Accidental release	measures
6.1. Personal precautions, protectiv	e equipment and emergency procedures
General measures	: Avoid breathing (vapor, mist, spray).
6.1.1. For non-emergency personnel	
Protective equipment	: Use appropriate personal protection equipment (PPE).

Safety Data Sheet According to Regulation (EC) No. 453/2010

Emergency procedures	: Evacuate unnecessary personne	el.
6.1.2. For emergency respon		
Protective equipment	: Equip cleanup crew with prope	r protection.
Emergency procedures	: Ventilate area.	
6.2. Environmental preca		
	blic waters. Notify authorities if liquid enters	sewers or public waters.
6.3. Methods and materia	ial for containment and cleaning up	abcorboats to provent migration and entry into
For containment	sewers or streams.	absorbents to prevent migration and entry into
Methods for cleaning up	: Clear up spills immediately and	l dispose of waste safely. Spills should be contained sfer spilled material to a suitable container for uthorities after a spill.
6.4. Reference to other s		
	ls and personal protection. Concerning elimin	nation disposal after cleaning, see section 13.
SECTION 7: Handling a	ind storage	
7.1. Precautions for safe	handling	
Hygiene measures	hands and other exposed areas smoking and when leaving wor	d industrial hygiene and safety procedures. Wash with mild soap and water before eating, drinking or k.
	torage, including any incompatibilities	
Technical measures	: Comply with applicable regulat	
Storage conditions	-	ntilated place. Keep container closed when not in use.
	Keep/Store away from direct su incompatible materials.	unlight, extremely high or low temperatures and
Incompatible products	: Strong acids. Strong bases. Stro	ng oxidizers Isocyanates
		ong ontdizers. isocyanates.
7 3 Specific end use(s)		
7.3. Specific end use(s) This product is intended to be u	used as a topical-only stencil image transfer m	edium.
This product is intended to be u	used as a topical-only stencil image transfer m	edium.
This product is intended to be u SECTION 8: Exposure of	used as a topical-only stencil image transfer m	edium.
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters		edium.
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6)	controls/personal protection	
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6) Croatia	Controls/personal protection GVI (granična vrijednost izloženosti) (mg/m³)	edium. 474 mg/m³ (total particles and vapor) 10 mg/m³ (particles)
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6)	controls/personal protection GVI (granična vrijednost izloženosti)	474 mg/m ³ (total particles and vapor)
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6) Croatia	Controls/personal protection GVI (granična vrijednost izloženosti) (mg/m³) GVI (granična vrijednost izloženosti)	474 mg/m ³ (total particles and vapor) 10 mg/m ³ (particles)
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6) Croatia	GVI (granična vrijednost izloženosti) (mg/m ³) GVI (granična vrijednost izloženosti) (ppm)	474 mg/m ³ (total particles and vapor) 10 mg/m ³ (particles) 150 ppm
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6) Croatia Croatia Latvia	Controls/personal protection GVI (granična vrijednost izloženosti) (mg/m ³) GVI (granična vrijednost izloženosti) (ppm) OEL TWA (mg/m ³)	 474 mg/m³ (total particles and vapor) 10 mg/m³ (particles) 150 ppm 7 mg/m³ 474 mg/m³ (total particulates and vapour)
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6) Croatia Croatia Latvia United Kingdom	GVI (granična vrijednost izloženosti) (mg/m ³) GVI (granična vrijednost izloženosti) (ppm) OEL TWA (mg/m ³) WEL TWA (mg/m ³)	 474 mg/m³ (total particles and vapor) 10 mg/m³ (particles) 150 ppm 7 mg/m³ 474 mg/m³ (total particulates and vapour) 10 mg/m³ (particulates) 150 ppm (total particulates and vapour) 1422 mg/m³ (calculated-total particulate and vapour)
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6) Croatia Croatia Latvia United Kingdom United Kingdom	GVI (granična vrijednost izloženosti) (mg/m³)GVI (granična vrijednost izloženosti) (ppm)OEL TWA (mg/m³)WEL TWA (mg/m³)WEL TWA (ppm)	 474 mg/m³ (total particles and vapor) 10 mg/m³ (particles) 150 ppm 7 mg/m³ 474 mg/m³ (total particulates and vapour) 10 mg/m³ (particulates) 150 ppm (total particulates and vapour) 1422 mg/m³ (calculated-total particulate and vapour) 30 mg/m³ (calculated-total particulate and
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6) Croatia Croatia Latvia United Kingdom United Kingdom United Kingdom	GVI (granična vrijednost izloženosti) (mg/m³)GVI (granična vrijednost izloženosti) (ppm)OEL TWA (mg/m³)WEL TWA (mg/m³)WEL TWA (mg/m³)WEL TWA (ppm)WEL STEL (mg/m³)	 474 mg/m³ (total particles and vapor) 10 mg/m³ (particles) 150 ppm 7 mg/m³ 474 mg/m³ (total particulates and vapour) 10 mg/m³ (particulates) 150 ppm (total particulates and vapour) 1422 mg/m³ (calculated-total particulate and vapour) 30 mg/m³ (calculated-particulate)
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6) Croatia Croatia Latvia United Kingdom United Kingdom United Kingdom	GVI (granična vrijednost izloženosti) (mg/m³)GVI (granična vrijednost izloženosti) (ppm)OEL TWA (mg/m³)WEL TWA (mg/m³)WEL TWA (mg/m³)WEL STEL (mg/m³)WEL STEL (mg/m³)OEL (8 hours ref) (mg/m³)	 474 mg/m³ (total particles and vapor) 10 mg/m³ (particles) 150 ppm 7 mg/m³ 474 mg/m³ (total particulates and vapour) 10 mg/m³ (particulates) 150 ppm (total particulates and vapour) 1422 mg/m³ (calculated-total particulate and vapour) 30 mg/m³ (calculated-particulate) 450 ppm (calculated-total particulate and vapour) 470 mg/m³ (total vapour and particulates) 10 mg/m³ (particulate)
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6) Croatia Croatia Latvia United Kingdom United Kingdom United Kingdom Ireland Ireland	GVI (granična vrijednost izloženosti) (mg/m³)GVI (granična vrijednost izloženosti) (ppm)OEL TWA (mg/m³)WEL TWA (mg/m³)WEL TWA (mg/m³)WEL STEL (mg/m³)WEL STEL (mg/m³)OEL (8 hours ref) (mg/m³)OEL (8 hours ref) (ppm)	 474 mg/m³ (total particles and vapor) 10 mg/m³ (particles) 150 ppm 7 mg/m³ 474 mg/m³ (total particulates and vapour) 10 mg/m³ (particulates) 150 ppm (total particulates and vapour) 1422 mg/m³ (calculated-total particulate and vapour) 30 mg/m³ (calculated-particulate) 450 ppm (calculated-total particulate and vapour) 470 mg/m³ (total vapour and particulates) 10 mg/m³ (particulate)
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6) Croatia Croatia Latvia United Kingdom United Kingdom United Kingdom United Kingdom Ireland	GVI (granična vrijednost izloženosti) (mg/m³)GVI (granična vrijednost izloženosti) (ppm)OEL TWA (mg/m³)WEL TWA (mg/m³)WEL TWA (mg/m³)WEL STEL (mg/m³)WEL STEL (mg/m³)OEL (8 hours ref) (mg/m³)	 474 mg/m³ (total particles and vapor) 10 mg/m³ (particles) 150 ppm 7 mg/m³ 474 mg/m³ (total particulates and vapour) 10 mg/m³ (particulates) 150 ppm (total particulates and vapour) 1422 mg/m³ (calculated-total particulate and vapour) 30 mg/m³ (calculated-particulate) 450 ppm (calculated-total particulate and vapour) 470 mg/m³ (total vapour and particulates) 10 mg/m³ (particulate) 150 ppm (total vapour and particulates) 10 mg/m³ (calculated-total vapour and particulates) 1410 mg/m³ (calculated-total vapour and particulates)
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6) Croatia Croatia Latvia United Kingdom United Kingdom United Kingdom Ireland Ireland	GVI (granična vrijednost izloženosti) (mg/m³)GVI (granična vrijednost izloženosti) (ppm)OEL TWA (mg/m³)WEL TWA (mg/m³)WEL TWA (mg/m³)WEL STEL (mg/m³)WEL STEL (mg/m³)OEL (8 hours ref) (mg/m³)OEL (8 hours ref) (ppm)	 474 mg/m³ (total particles and vapor) 10 mg/m³ (particles) 150 ppm 7 mg/m³ 474 mg/m³ (total particulates and vapour) 10 mg/m³ (particulates) 150 ppm (total particulates and vapour) 1422 mg/m³ (calculated-total particulate and vapour) 30 mg/m³ (calculated-particulate) 450 ppm (calculated-total particulate and vapour) 470 mg/m³ (total vapour and particulates) 10 mg/m³ (particulate)
This product is intended to be u SECTION 8: Exposure (8.1. Control parameters 1,2-Propylene glycol (57-55-6) Croatia Croatia Latvia United Kingdom United Kingdom United Kingdom Ireland Ireland Ireland	Controls/personal protectionGVI (granična vrijednost izloženosti) (mg/m³)GVI (granična vrijednost izloženosti) (ppm)OEL TWA (mg/m³)WEL TWA (mg/m³)WEL TWA (mg/m³)WEL STEL (mg/m³)WEL STEL (ppm)OEL (8 hours ref) (mg/m³)OEL (8 hours ref) (ppm)OEL (15 min ref) (mg/m3)	 474 mg/m³ (total particles and vapor) 10 mg/m³ (particles) 150 ppm 7 mg/m³ 474 mg/m³ (total particulates and vapour) 10 mg/m³ (particulates) 150 ppm (total particulates and vapour) 1422 mg/m³ (calculated-total particulate and vapour) 30 mg/m³ (calculated-particulate) 450 ppm (calculated-total particulate and vapour) 470 mg/m³ (total vapour and particulates) 10 mg/m³ (particulate) 150 ppm (total vapour and particulates) 10 mg/m³ (calculated-total vapour and particulates) 30 mg/m³ (calculated-total vapour and particulates) 410 mg/m³ (calculated-total vapour and particulates) 30 mg/m³ (calculated-particulate) 450 ppm (calculated-total vapour and particulates)

Safety Data Sheet According to Regulation (EC) No. 453/2010

Norway	Gjennomsnittsverdier (AN) (ppm)	25 ppm	
Norway	Gjennomsnittsverdier (Korttidsverdi) (mg/m3)	118,5 mg/m³	
Norway	Gjennomsnittsverdier (Korttidsverdi) (ppm)	37,5 ppm	
Glycerin (56-81-5)			
Belgium	Limit value (mg/m ³)	10 mg/m ³ (mist)	
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	10 mg/m³	
France	VME (mg/m³)	10 mg/m ³ (aerosol)	
Greece	OEL TWA (mg/m³)	10 mg/m³	
Spain	VLA-ED (mg/m³)	10 mg/m ³ (mist)	
Switzerland	VLE (mg/m³)	100 mg/m³ (inhalable)	
Switzerland	VME (mg/m³)	50 mg/m ³ (inhalable)	
United Kingdom	WEL TWA (mg/m³)	10 mg/m ³ (mist)	
United Kingdom	WEL STEL (mg/m³)	30 mg/m ³ (calculated-mist)	
Czech Republic	Expoziční limity (PEL) (mg/m³)	10 mg/m ³	
Estonia	OEL TWA (mg/m³)	10 mg/m ³	
Finland	HTP-arvo (8h) (mg/m³)	20 mg/m³	
Ireland	OEL (8 hours ref) (mg/m ³)	10 mg/m ³ (mist)	
Ireland	OEL (15 min ref) (mg/m3)	30 mg/m ³ (calculated-mist)	
Poland	NDS (mg/m ³)	10 mg/m ³ (aerosol)	
Portugal	OEL TWA (mg/m³)	10 mg/m ³ (mist)	

Sodium stearate (822-16-2)		
Lithuania	IPRV (mg/m ³)	5 mg/m³
Sweden	nivågränsvärde (NVG) (mg/m³)	120 mg/m³
Sweden	nivågränsvärde (NVG) (ppm)	25 ppm

8.2. Exposure controls

0.2. Exposure controls	
Appropriate engineering controls	: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure but are not required. Ensure all national/local regulations are observed.
Personal protective equipment	: Not generally required. The use of personal protective equipment may be necessary as conditions warrant.
Materials for protective clothing	: Not required for normal conditions of use.
Hand protection	: Not required for normal conditions of use.
Eye protection	: Not required for normal conditions of use.
Skin and body protection	: Not required for normal conditions of use.
Respiratory protection	: Not required for normal conditions of use.
Environmental exposure controls	: Do not allow the product to be released into the environment.
Consumer exposure controls	: Do not eat, drink or smoke during use.
SECTION 9: Physical and che	mical properties
9.1. Information on basic physic	cal and chemical properties
Appearance/Physical state	: Liquid

Safety Data Sheet According to Regulation (EC) No. 453/2010

рН	: No data available	
Evaporation rate	: No data available	
Melting point	: No data available	
Freezing point/Boiling point	: No data available	
Relative density	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Solubility	: No data available	
Partition coefficient: n-octanol/water	: No data available	
Viscosity	: No data available	
Explosive properties/ Explosive limits	: No data available	
Oxidizing properties	: No data available	
Partition coefficient: n-octano/water	: No data available	
9.2. Other information		
VOC content	: <1%	

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Isocyanates.

10.6. Hazardous decomposition products

Thermal decomposition generates carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological eff	fects
Acute toxicity	: Not classified
1,2-Propylene glycol (57-55-6)	
LD50 oral rat	20000 mg/kg
LD50 dermal rabbit	20800 mg/kg
Glycerin (56-81-5)	
LD50 oral rat	5570 mg/kg
LD50 dermal rabbit	> 10 g/kg
LC50 inhalation rat (mg/l)	> 570 mg/m³ (Exposure time: 1 h)
Xanthan gum (11138-66-2)	
LD50 oral rat	> 45000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposur	e) : Not classified
Specific target organ toxicity (repeated expo	sure) : Not classified

Safety Data Sheet According to Regulation (EC) No. 453/2010

According to Regulation (EC) No. 453/2010	
Aspiration hazard	: Not classified
SECTION 12: Ecological inform	nation
12.1. Toxicity	
1,2-Propylene glycol (57-55-6)	
LC50 fishes 1	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	10000 mg/l (Exposure time: 24 h - Species: Daphnia magna)
EC50 Daphnia 2	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Glycerin (56-81-5)	
LC50 fishes 1	54000 (51000 - 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss
	[static])
12.2. Persistence and degradability	
No additional information available.	
12.3. Bioaccumulative potential	
1,2-Propylene glycol (57-55-6)	
BCF fish 1	<1
Glycerin (56-81-5)	1
BCF fish 1	(no bioaccumulation)
Log Pow	-1,76
12.4. Mobility in soil	1,10
No additional information available.	
12.5. Results of PBT and vPvB assess	sment
No additional information available.	
12.6. Other adverse effects	
Other information	: Avoid release to the environment.
SECTION 13: Disposal conside	rations
13.1. Waste treatment methods	
Waste disposal recommendations	 Dispose of waste material in accordance with all local, regional, national, and international regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport inform	
In accordance with ADR / RID / IMDG / IAT	ation
14.1. UN number	ation
14.1. UN number Not regulated for transport.	ation
14.1. UN numberNot regulated for transport.14.2. UN proper shipping name	ation
14.1. UN numberNot regulated for transport.14.2. UN proper shipping nameNot applicable	ation
 14.1. UN number Not regulated for transport. 14.2. UN proper shipping name Not applicable 14.3. Transport hazard class(es) 	ation
 14.1. UN number Not regulated for transport. 14.2. UN proper shipping name Not applicable 14.3. Transport hazard class(es) Not applicable 	ation
 14.1. UN number Not regulated for transport. 14.2. UN proper shipping name Not applicable 14.3. Transport hazard class(es) 	ation
 14.1. UN number Not regulated for transport. 14.2. UN proper shipping name Not applicable 14.3. Transport hazard class(es) Not applicable 14.4. Packing group 	ation
 14.1. UN number Not regulated for transport. 14.2. UN proper shipping name Not applicable 14.3. Transport hazard class(es) Not applicable 14.4. Packing group Not applicable 	ation
 14.1. UN number Not regulated for transport. 14.2. UN proper shipping name Not applicable 14.3. Transport hazard class(es) Not applicable 14.4. Packing group Not applicable 14.5. Environmental hazards 	A/ADN
 14.1. UN number Not regulated for transport. 14.2. UN proper shipping name Not applicable 14.3. Transport hazard class(es) Not applicable 14.4. Packing group Not applicable 14.5. Environmental hazards Other information 14.6. Special precautions for user 14.6.1. Overland transport 	A/ADN
 14.1. UN number Not regulated for transport. 14.2. UN proper shipping name Not applicable 14.3. Transport hazard class(es) Not applicable 14.4. Packing group Not applicable 14.5. Environmental hazards Other information 14.6. Special precautions for user 14.6.1. Overland transport No additional information available. 	A/ADN
 14.1. UN number Not regulated for transport. 14.2. UN proper shipping name Not applicable 14.3. Transport hazard class(es) Not applicable 14.4. Packing group Not applicable 14.5. Environmental hazards Other information 14.6. Special precautions for user 14.6.1. Overland transport No additional information available. 14.6.2. Transport by sea 	A/ADN
 14.1. UN number Not regulated for transport. 14.2. UN proper shipping name Not applicable 14.3. Transport hazard class(es) Not applicable 14.4. Packing group Not applicable 14.5. Environmental hazards Other information 14.6. Special precautions for user 14.6.1. Overland transport No additional information available. 14.6.2. Transport by sea No additional information available. 	A/ADN
 14.1. UN number Not regulated for transport. 14.2. UN proper shipping name Not applicable 14.3. Transport hazard class(es) Not applicable 14.4. Packing group Not applicable 14.5. Environmental hazards Other information 14.6. Special precautions for user 14.6.1. Overland transport No additional information available. 14.6.2. Transport by sea 	A/ADN
 14.1. UN number Not regulated for transport. 14.2. UN proper shipping name Not applicable 14.3. Transport hazard class(es) Not applicable 14.4. Packing group Not applicable 14.5. Environmental hazards Other information 14.6. Special precautions for user 14.6.1. Overland transport No additional information available. 14.6.3. Air transport No additional information available. 	A/ADN

Safety Data Sheet According to Regulation (EC) No. 453/2010

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions Contains no substance on the REACH candidate list VOC content : < 1 % 15.1.2. National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

SDS EU (REACH Annex II) 10pt

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Rupert, Gibbon & Spider, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. Rupert, Gibbon & Spider, Inc. makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall Rupert, Gibbon & Spider, Inc. be liable for consequential, special, or indirect damages resulting from the use or handling of this product.