SAFETY DATA SHEET

2-1-2018

MANUFACTURER OR DISTRIBUTOR:

Jack Richeson & Co., Inc. 557 S. Marcella Street **PO BOX 160** Kimberly, Wisconsin 54136-1760

INFORMATION TELEPHONE NUMBER: EMERGENCY TELEPHONE NUMBER:

800-233-2404

Importer -S&S Wholesale Pty. Limited 18/10 Pioneer Avenue, Thornleigh NSW 2120 Tel: 1300 731 529 Fax: 1300 739 715

Emergency Contact: S&S Wholesale Pty. Limited Tel: 1300 731 529 Fax: 1300 739 715

SECTION I - PRODUCT IDENTIFICATION

JACK RICHESON OILS (SHIVA PRODUCT NAME: SERIES) PRODUCT SIZES: 10, 37, 148, 473ML

PRODUCT NUMBER: S10-OILS

BRAND NAME: JACK RICHESON OILS (SHIVA SERIES)

PRODUCT CLASS: **OIL PAINT**

SECTION II - POTENTIAL HEALTH EFFECTS

PERMISSIBLE EXPOSURE LEVEL: SEE SECTION III FOR COMPONENT PEL/TLVs PRIMARY ROUTES OF ENTRY: INHALATION, INGESTION, EYE, SKIN

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: MAY BE HARMFUL IF SWALLOWED. MAY BE HARMFUL BY BREATHING DUSTS OR MISTS.

EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: EXPOSURE MAY CAUSE HARM TO THE DEVELOPING FETUS. INHALATION MAY CAUSE LUNG DAMAGE.

CARCINOGEN LISTING: NTP: YES IARC: YES OSHA: NO

SEE SECTION III FOR COMPONENTS AFFECTED

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: CHRONIC LUNG DISEASE, CHRONIC BRONCHITIS OR ASTHMA.

LIVER DISEASE, KIDNEY DISEASE, PREGNANCY,

SECTION III - HAZARDOUS INGREDIENTS

		PEL/TLV	Max		
Ingredient	CAS #	(MG/M#)	% Weight	NTP	IARC
CADMIUM	7440-43-9	0.01	0.20200	Y	<u>Y</u>

SECTION IV - FIRST AID

FIRST AID MEASURES: NONE REQUIRED. NO ACUTE HEALTH EFFECTS EXPECTED.

SECTION V - FIRE FIGHTING MEASURES

FLASH POINT (METHOD): N/A EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED

AUTOIGNITION TEMPERATURE: N/A

FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

SECTION VI - SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with noncombustible, absorbent material. For waste disposal, see Section XIII

SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

SECTION VIII - EXPOSURE CONTROLS

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: NONE REQUIRED OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED WORK/HYGIENE PRACTICES: **AVOID USING IF PREGNANT OR CONTEMPLATING PREGNANCY.** ENGINEERING CONTROLS: Not for use by children.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A VAPOR PRESSURE: N/A SPECIFIC VAPOR DENSITY. (AIR=1): N/A SOLUBILITY IN WATER: N/A

MELTING POINT: N/A

SPECIFIC GRAVITY: N/A REACTIVITY IN WATER: NON-REACTIVE

SECTION X - STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: NONE STABILITY: STABLE CONDITIONS TO AVOID: NONE INCOMPATIBILITY (MATERIALS TO AVOID): NONE HAZARDOUS DECOMPOSITION PRODUCTS: NONE

SECTION XI - TOXICOLOGICAL INFORMATION

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: MAY BE HARMFUL IF SWALLOWED. MAY BE HARMFUL BY BREATHING DUSTS OR MISTS. The summated LD50 is 2451.2 mg/kg. This product is/is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

SECTION XII - ECOLOGICAL INFORMATION

NO HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE. WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

SECTION XIV - TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

SECTION XV - REGULATORY INFORMATION

CONTENTS OF THIS MSDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200 EPA SARA TITLE III CHEMICAL LISTINGS NONF

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355): NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372): NONE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS: BLACK IRON OXIDE COPPER PHTHALOCYANINE FERRIC OXIDE LINSEED OIL PIGMENT RED 83 TRIETHANOLAMINE ZINC OXIDE

SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN THE STATE OF CALIFORNIA UNDER THEIR SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROPOSITION 65) AS BEING KNOWN TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: CARBON BLACK PIGMENT BLACK 9 TITANIUM DIOXIDE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM: BLACK IRON OXIDE CHROMIUM OXIDE GREEN MANGANESE CARBOXYLATE P-CHLORO-O-NITRANILINE COUPLED WITH ACET PIGMENT RED 101 PIGMENT VIOLET 16 PIGMENT WHITE 6 ZINC OXIDE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT: NONE

SECTION XVI - OTHER INFORMATION

THIS INFORMATION SHEET IS FOR CONSUMER USE ONLY.

Woodhall Stopford, MD, MSPH

• •

COLOR INFORMATION

THIS MSDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS

COLOR INFORMATION

THIS SDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS

Produc	t Color	SKU	Hazardous Ingredient
120000	JR OIL TITAN. WHT 1.250Z		(NONE)
120001	JR OIL ZINC WHITE 1.250Z		(NONE)
120002	JR OIL ULTRA WHT 1.250Z		(NONE)
120003	JR OIL IVO. BLK 1.250Z		(NONE)
120004	JR OIL MARS BLK 1.250Z		(NONE)
120005	JR OIL PAYN GRY 1.250Z		(NONE)
120006	JR OIL LT. RED 1.250Z		(NONE)
120007	JR OIL ALIZ. CRIM.1.250Z		MORDANT RED 11
120008	JR OIL VENETIAN RED		(NONE)
120009	JR OIL QUIN ROSE 1.250Z		(NONE)
120010	JR OIL CAD RED DP 1.250Z		(NONE)
120011	JR OIL ROSE MAD. 1.250Z		MORDANT RED 11
120012	JR OIL CAD RED SCAR 1.250Z		(NONE)
120013	JR OIL CAD RED PALE 1.250Z		(NONE)
120014	JR OIL NAPTH RED MED1.250Z		(NONE)
120015	SHIVA RED CRIMSON OIL 1.250Z		(NONE)
120016	JR OIL FLESH 1.25OZ		(NONE)
120017	JR OIL YEL OCHRE 1.25OZ		(NONE)
120018	JR OIL CAD YEL. LT 1.250Z		(NONE)
120019	JR OIL CAD YEL MED 1.250Z		(NONE)
120020	JR OIL NAPLES YELLOW 1.25 OZ		(NONE)
120021	JR OIL IND. YEL 1.250Z		(NONE)
120022	JR OIL UNBLEC. TITAN 1.250Z		(NONE)
120023	JR OIL CAD ORAN 1.250Z		(NONE)
120024	JR OIL SHIVA ORAN 1.250Z		(NONE)
120025	JR OIL BRILL YEL LT. 1.250Z		(NONE)
120026	JR OIL SHIVA YEL CIT. 1.250Z		(NONE)
120027	JR OIL HANSA YEL 1.250Z		(NONE)
120028	JR OIL HANSA YEL MED 1.250Z		(NONE)
120029	JR OIL HANSA YL PAL. 1.250Z		(NONE)
120030	JR OIL TURQU. 1.250Z		(NONE)
120031	JR OIL CERUL. BLU 1.250Z		(NONE)
120032	JR OIL COBALT BLUE 1.250Z		(NONE)
120033	JR OIL PRUS. BLUE 1.250Z		(NONE)
120034	JR OIL ULTRA BLU DP1.250Z		(NONE)
120035	JR OIL ULTRA BLU LT1.250Z		(NONE) (NONE)
120036	JR OIL ICE BLUE1.250Z		(NONE)
120037	JR OIL PTHALO BLU DP1.250Z		(NONE)
120038	JR OIL PTHALO BLU LT1.250Z		(NONE)
120039	JR OIL COBALT VIOLET LT 1.250Z		(NONE)
120040	JR OIL MANGA VIOLET 1.250Z JR OIL DIOX VIOL. 1.250Z		(NONE)
120041	JR OIL DIOX VIOL. 1.2502 JR OIL OLIVE GRN 1.2502		(NONE)
120042 120043	JR OIL SAP GRN 1.250Z		(NONE)
	JR OIL SAF GRN 1.2502 JR OIL VIRID. GRN 1.2502		(NONE)
120044	JR OIL VIRID. GRN 1.2502 JR OIL TERRE VERTE 1.25		(NONE)
120045 120046	JR OIL LEAF GRN 1.250Z		(NONE)
120040	JR OIL CAD GRN 1.250Z		(NONE)
120047	JR OIL CAU GRN 1.2302 JR OIL PTHALO GRN BL SH 1.250Z		(NONE)
120048	JR OIL CHROM OX GRN DP 1.250Z		(NONE)
120049	JR OIL CHROM OX GRN LT 1.250Z		(NONE)
120050	JR OIL BURNT SIENNA 1.25 OZ		(NONE)
120051	JR OIL BURNT UMBER 1.250Z		(NONE)
120052	JR OIL RAW SIENNA 1.250Z		(NONE)
120053	JR OIL RAW UMB WARM 1.250Z		(NONE)
120054	JR OIL ASPHALTUM 1.250Z		(NONE)
120055	JR OIL ASI HALTOM 1.2502 JR OIL VAN DYKE BROWN 1.250Z		(NONE)
120050	JR OIL GOLDEN OCHRE		(NONE)
120037			· · · ····

Produc	t Color	SKU	Hazardous Ingredient	
120058	JR OIL GREEN GOLD 1.250Z	·	(NONE)	10000040000000000000000000000000000000
120059	JR OIL TITANIUM WHITE 50Z		(NONE)	
120060	JR OIL ZINC WHITE 50Z		(NONE)	
120061	JR OIL TITAN ZINC WHITE 50Z		(NONE)	
120063	JR OIL ULTRA WHITE 5OZ		(NONE)	
120065	JR OIL TIT. ZINC WHITE 16 OZ		(NONE)	
120066	JR OIL TIT. WHITE 16. OZ		(NONE)	
120067	JR OIL ZINC WHITE 16 OZ.		(NONE)	
120081	JR OIL BURNT UMBER COOL 1.250Z		(NONE)	
120082	JR OIL RAW UMB COOL 1.250Z		(NONE)	
120083	JR OIL Permanent Alizarin 1.25		(NONE)	
120084	JR OIL Quinacridone Red 1.250Z		(NONE)	
120086	JR OIL Quinacridone Magenta 1.		(NONE)	
120087	JR OIL Quinacridone Violet 1.2		(NONE)	
120088	JR OIL Napthol Red Light 1.250		(NONE)	
120089	JR OIL Ultramarine Violet 1.25		(NONE)	
120090	JR OIL Phthalo Green Yellow Sh		(NONE)	
120091	JR OIL Transparent Red Oxide 1		(NONE)	
120092	JR OIL Transparent Yellow Oxid		(NONE)	
120096	JR OIL TRANS MARBLE WHT 1.250Z		(NONE)	
120100	JR OIL COBALT TEAL 1.250Z		(NONE)	
120101	JR OIL KINGS BLUE 1.250Z		(NONE)	
120102	JR OIL INDANTHRENE BLUE 1.250Z		(NONE)	
120103	JR OIL TRANS ORG OXIDE 1.250Z		(NONE)	
120104	JR OIL PYRROLE ORANGE 1.250Z		(NONE)	
120105	JR OIL NICKEL TITANATE 1.250Z		(NONE)	
120106	JR OIL BRILLIANT GRN LT 1.250Z		(NONE)	
120107	JR OIL BRILLIANT PINK LT 1.250		(NONE)	
120108	JR OIL BRILLIANT VIOLET LT 1.		(NONE)	
120110	JR OIL COBALT GR DP 1.250Z		(NONE)	
120111	JR OIL COBALT GREEN 1.250Z		(NONE)	

BRAND NAMES

THIS MSDS APPLIES TO THE FOLLOWING BRAND NAMES

Brand Name

SKU

ARTIST AND CRAFTSMAN OIILS JACK RICHESON OILS (SHIVA SERIES) PLAZA OILS