

## **Zest-it® Damar Picture Varnish**

Nov.2017

**Safety Data Sheet (CLP)** 

For occupational use not general public/consumer use

sp375 Jan.17

registered Trade Marks.	I OF TH	E CUIDOTANGE/DDEBAD ATVON AND COMBANIVININED	TALING	
		E SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING		
<ul><li>1.1 Product Identifier</li><li>1.2 Relevant identified uses of the substance or mixture and uses advised against</li></ul>		Zest-it® Damar Picture Varnish  Varnish for oil painting, art and creative use. Functional foreative varnish.	luid. Craft and	
Product Numbers		ZDPV; 1000, 500, 250, 125, 50	S&S Wholesale Pty. Limit 18/10 Pioneer Avenue,	
1.3 Details of the supplier of the safety data sheet 1.4 Emergency telephone No		J and T Blackman Ltd. High Street, Barwell, Leicestershire. LE9 8DR Tel: 0116 2341001. Mob. 07885103576 email: msdssupport@zest-it.biz		
		National Poisons Information Service (UK) 0844 8920111 National Chemical Emergency Centre 08701906777 and +44(0)127050	Emergency Contact:  S&S Wholesale Pty. Limit Tel: 1300 731 529 F	
SECTION 2: HAZARDS IDI	ENTIFIC	CATION		
2.1Classification of the subst	ance or	mixture		
Classification under CHIP; Directive 67/548/EEC or 1999/45/EC	Xn; may ca	Harmful: R65 may cause lung damage if swallowed. R66 use skin dryness or cracking.	: Repeated exposure	
Classification under CLP; Regulation (EC) No 1272/2008 Most important adverse effects.	Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. EUH066: Repeated exposure may cause skin dryness or cracking			
2.2 Label elements				
Label elements under CLP Hazard pictograms Signal word	Danger			
Hazard statements:	H304 May be fatal if swallowed and enters airways. EUH066: Repeated exposure may cause skin dryness and cracking			
Precautionary statements:	P301+ P331+ 312 If Swallowed: Do NOT induce vomiting: Call a Doctor . P302+352: If on skin: Gently wash with soap and water. P305+351+338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
Label elements under CHIP Hazard symbols	Harmful			
Risk phrases	R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking.			
Safety phrases	S-62 If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label. S-37 Wear suitable gloves. S-02 Keep out of reach of children			
2.3 Other hazards	The mixture contain no components considered to be either persistent, bioaccumulative, toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.			
SECTION 3: COMPOSITION/I	NFORM	IATION ON INGREDIENTS		
3.1 Mixtures		Mixture of substances listed below with nonhazardous additions	S	
Aliphatic Hydrocarbon CAS number 64742-47-8 EINECS 265-149-8		Classification (67/548/EEC) Asp. Tox. 1: H304; EUH066	60 - 100%	
Orange Terpenes CAS-No: 8028-48-6 EC No: 232-433-8		Classification (EC 1272/2008) R65 R10 R38 Classification (67/548/EEC) H226 H304	1-15%	
Gum Damar		Not a hazardous substance or mixture 20 - 40%		
This material is listed on the following inventories:		REACH, TSCA, DSL, ENCS, EINECS, AICS, ECL, ISHL, PIC	CCS, KECl, ASIA-PAC	

and NZIoC

inventories:

**General Info** 

**SECTION 4: FIRST AID MEASURES** 4.1 Description of first aid measures

NEVER give anything by mouth to an unconscious person. If symptoms persist, always call Doctor		
	1 of 4	

## **Zest-it® Damar Picture Varnish**

			o at rest; Supply fresh air; consult doctor in case of complaints.
	Immediately rinse mouth; drink plenty of water or milk. DO NOT induce vomiting. If vomiting occurs, keep head low; call for medical help immediately; transfer to hospital.		
	Promptly remove any soaked or contaminated clothing and shoes. Promptly wash skin with soap and water and rinse throughly. If skin irritation occurs consult a doctor.		
		ush eyes with pl ts consult a doc	lenty of water for up to 15 minutes, holding the eye open. Remove contact lens. If tor.
4.2 Most important s	symptoms and	l effect, both <b>a</b>	acute and delayed. No further relevant information available
4.3 Indication of any immediate medical attention and special treatment needed. No further information			
SECTION 5: FIRE I	FIGHTING M	IEASURES	
General information	l	Do not bre	rathe in smoke. Use sand or soil.
			with foam, carbon dioxide (CO <sup>2</sup> ), dry powder, water fog, soil or sand. DO NOT jet as this will spread the fire.
			ace dense black smoke and toxic fumes. Carbon Oxides. Vapours are heavier than y travel along the ground to nearby sources of ignition.
5.3 Advice for Firefig	ghters	Wear self of	contained breathing apparatus for firefighting where necessary.
SECTION 6: ACCII	DENTAL REI	LEASE MEAS	SURES
protective equipment and leak-side up			be a slippage hazard. Avoid contact with eyes and skin. Turn leaking containers to prevent further escape. Keep unprotected persons away. Ensure adequate
6.2 Environmental P	recautions	_	to enter drains, sewers or watercourses. Contain the spillage using bunding.
			s, flames. Ventilate. Absorb in vermiculite, dry sand or earth. Dike to contain o in suitable closed container for disposal.
6.4 Reference to other sections			
SECTION 7: HAND	LING AND S	TORAGE	
			or use near open flames or sources of ignition. Prevent formation of aerosols or vell ventilated area.
			al container in a cool dry well ventilated place. Keep away from sources of spark or open flame. Keep container tightly closed
			al container in a cool dry place tightly closed and away from children.
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION			
8.1 Control paramet	ers Conta	ains no substan	ice with occupational exposure limit values
8.2 Exposure control			
General protective a hygienic measures	Keep away from foodstuffs, beverages and feed. Wash and dry hands before breaks and at the end of work. Do not inhale mists or aerosols.		
Respiratory protection	No specific ventilation requirements noted. Use suitable respiratory protective device when aerosol or mist is formed.		ion requirements noted. Use suitable respiratory protective device when aerosol
Eye Protection		11 0	fitting safety glasses where splashing is probable. Provide eye wash station.
Hand/Skin Protectio	Wash and dry hands after use. Use appropriate hand lotion to prevent defatting and cracking of skin. For prolonged or repeated skin contact use suitable protective gloves. Nitrile rubber, PVA Ensure gloves are manufactured/tested in accordance with BSEN 374.		
<b>Body Protection</b>	Wear apron or protective clothing in case of splashes. Wash contaminated clothing before reuse. The type of protective equipment must be selected according to the concentration and amount of the substance at the specific workplace.		
SECTION 9: PHYSI	ICAL AND C	HEMICAL PI	ROPERTIES
9.1 Information on the basic physical and chemical properties			nical properties
<b>Boiling Point</b>			180-239°C 760 mm Hg
Density (SG)			0.90 g/cm <sup>3</sup>
Vapour Density			4.5 @ 80°C (Air=1)
Viscosity			1.97 mPas
Solubility in / Miscibility with water			Insoluble in water
Flammability Limit - Upper(%): Lower(%)			6.5:0.6
Flash Point (°C)			70 P/M Pensky-Martens
Ignition Temperature			$230^{\circ}$ C (446 $^{\circ}$ F)

Zest-it® Damar Picture Varnish						
Appearance			Clear slightly viscous liquid			
Odour			Mild Hydrocarbon Solvent-like			
Colour			Straw to deep yellow			
Danger of explosion			No - Does not present an explosion hazard			
Self-igniting			No - Not self-iginiting			
Volatile by volume (%)			100			
Melting point			Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.			
9.2 Other information			No further relevant information available			
SECTION 10: STABILIT	ΓY AND RI	EACTIVIT	Y			
10.1 Reactivity		No data ava	ailable			
10.2 Chemical stability		Stabile under normal conditions. Avoid heat, sparks and flames.				
10.3 Hazardous reactions	5	No dangerous reactions known				
10.4 Conditions to avoid		Open flame	es and other sources of ignition.			
10.5 Incompatible materi	ial	*	ls. Strong oxidizing substances.			
10.6 Hazardous decompo			Toxic gases/vapours/fumes of, Carbon monoxide (CO). Carbon dioxide (CO2). Hydrocarbons. and Oxides of Nitrogen (NOx), dense black smoke.			
SECTION 11: TOXICOI	LOGICAL	INFORMA	ΓΙΟΝ			
General Information	Product ha	s low toxicity	v. Only large volumes may have adverse impact on human health.			
11.1 Information on toxic	cological ef	fects				
Hazard of substance	_		sed on test data			
Symptom/routes of expos						
Ingestion	Pneumon	ia may be the	e result if vomited material containing solvent reaches the lungs.			
Inhalation	If heated	irritating var	ours may be formed. Do not spray or cause mists.			
Eye contact Splashes may irritate.						
Skin contact	May caus	se skin dryne	ess and cracking.			
Germ cell mutagenicity			evidence of mutagenic properties.			
Carcinogenicity			evidence of carcinogenic properties.			
Reproductive toxicity	-		evidence of toxicity to reproduction or the unborn.			
Medical considerations	-		ormal rinse of stomach because of risk of aspiration.			
SECTION 12: ECOLOG						
12.1 Toxicity						
Ecotoxicity values			The product is not expected to be hazardous to the environment.			
12.2 Persistence and degr	radahilitv		Inherently Biodegradable			
12.3 Bioaccumulative pot			Bioaccumulation is unlikely.			
12.4 Mobility in soil			Readily absorbed into soil			
12.5 Results of PBT and	vPvB assess	sment	This substance is not identified as a PBT substance			
12.6 Other adverse effect			Negligible ecotoxicity			
		ED ATION				
SECTION 13: DISPOSA			be treated as controlled waste. Disposal to licensed waste disposal site in			
			ce with Local Authority			
SECTION 14: TRANSPO	ORTATION	INFORM.	ATION			
			t does not require a classification.			
			ion required			
14.2 UN proper shipping			ion required			
14.3 Transport hazard cla			ole. (IMDG; IATA; ADR; RID;)			
		Not applicat	<u> </u>			
14.5 Environmental haza			e pollutant - no.			
13.0 Environmental nazaru ividille po.		- pont	··········			

14.6 Special precautions for user

14.7 Transport in bulk

No information required

according to annex ll of marpol73/78 and the IBC code

## **Zest-it® Damar Picture Varnish**

ECTION 15: REGULATORY INFORMATION		
15.1 Safety, health and	UK Regulatory References Health and Safety at Work Act 1974.	
environmental regulations/	Guidance Notes Workplace Exposure Limits EH40.	
legislation specific for the	EU Legislation Regulation (EC) No 1907/2006	
substance or mixture	REACH. Regulation (EC) No 1272/2008 CLP.	
15.2 Chemical Safety Assessment	No chemical safety assessment has been carried out	

SECTION 16: OTHER INFORMATION		
Revision Date (next revision 2022)	21.Nov.17	
Compilation date	29.Nov.2015; 20.Jun.2012; 20.Nov.2010;20.Nov.2008; Aug.2002	
Sheet Reference	Zest-it® Damar Picture Varnish	
Product covered by this data sheet	All sizes of Zest-it® Damar Picture Varnish	
Phrases used in S 2 and 3	EUH066: Repeated exposure may cause skin dryness or cracking. H304: May be fatal if swallowed and enters airways. R-65 Harmful, may cause lung damage if swallowed. R-66 Repeated exposure may cause skin dryness or cracking.	

- Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.
- The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.
- It is at all times the responsibility of the user to take all necessary measures to comply with safety precautions, legal requirements and local regulations.
- The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Legal Disclaimer. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information contained in this document is furnished without warranty, guarantee or representation of any kind to its accuracy, reliability or completeness. It is the user's responsibility to satisfy themselves as to the suitability of such information for their own particular use. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. J and T Blackman Ltd t/a Zest-it shall not be held liable for any damage resulting from handling using or from contact with the above product.